



# Safety Data Sheet

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Dyna-Plex 21C Mac-Cool 532

Metalworking fluid

Product Code: 14830

Miller Industrial Fluids, A PetroChoice Company

1751 W. Raymond Street

Indianapolis, Indiana 46221

Website: [www.petrochoice.com](http://www.petrochoice.com)

1-317-634-7300 Telephone

1-800-424-9300 US, Canada, Puerto Rico, Virgin Island - Emergency telephone (CHEMTREC)

+1-703-527-3887 International / Maritime Emergency telephone (CHEMTREC)

---

## 2. HAZARDS IDENTIFICATION

### OSHA/HCS Status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture:

Serious Eye Damage/Eye Irritation – Category 2A

### GHS Label Elements

### Hazard Pictogram:



### Signal Word:

WARNING

### Hazard Statement:

H319 – Causes serious eye irritation

## Precautionary Statements

- Prevention:** Wear eye protection/face protection. Wash hands and other exposed areas thoroughly after handling.
- Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
- Storage:** None
- Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Other Hazards:** None known

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Name:** None

**Formula:** Mixture

**Other means of identification:** None

**CAS Number/other identifiers:** Not applicable

Component	CAS Number	Concentration %
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	40-50
Sodium sulfonate	Confidential**	5-10
2-Amino-2-methyl-1-propanol	124-68-5	1-5
Alkanolamide	Confidential**	1-5
2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	4719-04-4	1-5

\*Any concentration shown as a range is to protect confidentiality or is due to batch variation.

\*\*The specific chemical identity has been withheld as a trade secret.

---

## 4. FIRST AID MEASURES

### Description of necessary first aid measures:

#### Eye Contact:

Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if safe and possible to do. Protect unharmed eye. Keep impacted eye(s) wide open while rinsing. If irritation persists, seek medical attention.

#### Inhalation

Move person to an area with fresh air. If breathing has stopped, give artificial respiration and call for emergency services immediately.

#### Skin contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water. If symptoms persist, call a physician.

## **Ingestion**

Rinse mouth with plenty of water and drink plenty of water afterwards. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If large quantities are swallowed, call a physician immediately.

**Most Important Symptoms/Effects, Acute and Delayed:** May cause irritation to the eyes.

**Indication of any immediate medical attention and special treatment needed:**

If necessary, treat symptomatically

---

## **5. FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable extinguishing media**

In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

#### **Unsuitable extinguishing media**

None known.

### **Specific hazards arising from this mixture**

Thermal decomposition products include oxides of carbon, sulfur and nitrogen.

### **Special protective equipment and precautions for fire-fighters**

Wear helmet, self-contained positive pressure or pressure-demand breathing apparatus, protective clothing and face mask.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

### **Methods and materials for containment and cleaning up**

Stop the flow of material, if this is without risk. Dike the spilled material, where possible. Absorb with an inert absorbent material and place in a suitable container for disposal. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### **Environmental precautions**

Do not let product enter drains, sewer, rivers or lakes.

---

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Wash hands after handling and before eating. Do not get this material in contact with eyes. Remove and wash contaminated clothing promptly. Conditions for safe storage

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

#### OSHA

Material	Type	Value
Petroleum distillates, hydrotreated heavy naphthenic	PEL	5 mg/m <sup>3</sup>
2-Aminoethanol	PEL	6 mg/m <sup>3</sup>

#### ACGIH

Material	Type	Value
Petroleum distillates, hydrotreated heavy naphthenic	TWA	5 mg/m <sup>3</sup>
2-Aminoethanol	TWA	7.5 mg/m <sup>3</sup>

#### NIOSH

Material	Type	Value
Petroleum distillates, hydrotreated heavy naphthenic	STEL	10 mg/m <sup>3</sup>
2-Aminoethanol	STEL	15 mg/m <sup>3</sup>

### Appropriate engineering controls:

Adequate ventilation should be provided whenever the material is heated or mists are generated. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

### Individual protection measures, such as personal protective equipment:

#### Eye/face protection

Goggles/face shield are recommended.

#### Hand protection

Neoprene or nitrile rubber gloves are recommended.

#### Skin protection & body protection

Chemical resistant long-sleeve clothing is recommended. Launder contaminated clothing before reuse.

#### Respiratory protection

If vapors/mist concentration exceed the exposure limit(s), an appropriate certified respirator must be used.

## General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Amber

**Physical state:** Liquid

**Odor:** Mild

**Odor Threshold:** Not available

**pH:** 10.5 (5% solution)

**Melting point/freezing point:** 32°F (0°C)

**Initial boiling point and boiling range:** 490°F (254.4°C)

**Flash point (Cleveland Open Cup):** >300°F (148.9°C)

**Evaporation rate:** Not available

**Flammability (solid, gas):** Not available

**Lower/upper flammability or explosive limits:**

**Flammability Limit**

**Lower %:** Not available

**Upper %:** Not available

**Explosive Limit:**

**Lower %:** Not available

**Upper %:** Not available

**Vapor pressure:** Not available

**Vapor density:** Not available

**Relative density:** 0.94 @ 60°F (15.56°C)

**Solubility (water):** Miscible

**Partition Coefficient (n-octanol/water):** Not available

**Auto-ignition Temperature:** Not available

**Decomposition Temperature:** Not available

**Viscosity:** 100 cSt @ 104°F (40°C)

---

## 10. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical stability:** Stable under recommended storage conditions

**Possibility of hazardous reactions:** Hazardous polymerization will not occur

**Conditions to avoid:** None known

**Incompatible materials:** Strong acids and oxidizing agents

**Hazardous decomposition products:** Decomposition products include oxides of carbon, sulfur and Nitrogen.

---

## 11. TOXICOLOGICAL INFORMATION

**Information on the likely routes of exposure:**

**Ingestion:** May cause gastrointestinal irritation and discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.

**Inhalation:** May be harmful if inhaled. However, this product does not meet the criteria for classification.

**Skin Contact:** Frequent or prolonged contact may defat and dry the skin.

**Eye Contact:** May cause irritation of the eyes.

**Symptoms related to the physical, chemical and toxicological characteristics:** Not available

**Information on Toxicological Effects**

**Acute Toxicity:**

Product/ingredient name	Result	Species	Dose
Sodium Sulfonate	LD50 Oral	Rat	>5000 mg/kg
2-Amino-2-methyl-1-propanol	LD50 Oral	Rat	2900 mg/kg
Diisopropanolamine	LD50 Oral	Rat	>2000 mg/kg
2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	LD50 Oral	Rat	1009-3950 mg/kg

**Skin Corrosion/Irritation:** Frequent or prolonged contact may defat and dry the skin.

**Serious Eye Damage/Eye Irritation:** May be irritating to the eyes.

**Respiratory or Skin Sensitization:**

**Respiratory Sensitization:** No data available

**Skin Sensitization:** No data available

**Mutagenicity:** No data available

**Carcinogenicity:** No data available

**Reproductive Toxicity:** No data available.

**Specific Target Organ Toxicity:**

**Single Exposure:** Not classified

**Repeated Exposure:** Not classified

**Aspiration hazard:**

Component Name	Result
Petroleum distillates, hydrotreated heavy naphthenic	ASPIRATION HAZARD - Category 1

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity:**

Component	Test	Species	Dose
2-Amino-2-methyl-1-propanol	LC50, 96h	Lepomis macrochirus	190 mg/L
2,2',2''-(hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	LC50, 96h	Fish	10-100 mg/L

**Persistence and Degradability:** No data available**Bioaccumulative Potential:** No data available**Mobility in Soil:** No data available**Other Adverse Effects:** No known significant effects or critical hazards.

---

**13. DISPOSAL CONSIDERATIONS****Waste Disposal methods**

Disposal of waste material should comply with all local, state, federal and provincial environmental regulations. See Section 7 for safe handling procedures and section 8 for personal protective equipment recommendations. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Empty containers or liners may retain some product residues. Follow label warnings even after container is emptied. Avoid contact of any spilled material or runoff with soil, waterways, drains and sewers.

---

**14. TRANSPORT INFORMATION****DOT:** Not regulated**IMDG:** Not regulated

---

**15. REGULATORY INFORMATION****U.S. Federal Regulations**

This product is considered a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**United States inventory (TSCA 8b):** All components are listed or exempted.**SARA 302/304:****Composition/Information on Ingredients**

No products were found

## SARA Hazard Categories (311/312)

**Acute Health Hazard:** Yes

**Chronic Health Hazard:** No

**Fire Hazard:** No

**Sudden Release of Pressure Hazard:** No

**Reactive Hazard:** No

### SARA 313:

This material does not contain any chemical components that exceed the threshold reporting levels established by SARA Title III, Section 313.

### State Regulations

**Massachusetts:** The following components are listed: Ethanolamine

**New Jersey:** The following components are listed: Ethanolamine; Ethanol, 2-amino-

**Pennsylvania:** The following components are listed: Ethanol, 2-amino-; 2-Amino-2-methyl-1-propanol.

### California Proposition 65

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or reproductive harm.

---

## 16. OTHER INFORMATION

The information and recommendations contained within this document are believed by PetroChoice to be accurate and reliable as of the date prepared. The information and recommendations are offered for the user's consideration and analysis and in no way guarantee the chemical specifications for the specified product. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense arising out of the product's improper use. The user should consider the information in this document in the context of how the selected product will be handled and used in conjunction with other products. It is the user's responsibility to determine that the product is suitable for the intended use.

Appropriate warnings and safe-handling procedures should be provided to all handlers and users. PetroChoice assumes no responsibility for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices within this document.

Rev. Date: 7/27/2017