



## Safety Data Sheet

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Dyna-Plex 21C Hi-Temp 500+ Moly NLGI #2

Petroleum Grease

Heavy Duty Petroleum Lubricant

Product Code: G870

Universal Lubricants, A PetroChoice Company

2824 N Ohio Street

Wichita, Kansas 67219

Website: [www.universallubes.com](http://www.universallubes.com)

1-800-444-6457 Telephone

1-316-832-3627 Product Information telephone

1-800-424-9300 US, Canada, Puerto Rico, Virgin Isl.- Emergency telephone(CHEMTREC)

+1-703-527-3887 International / Maritime Emergency telephone (CHEMTREC)

---

### 2. HAZARDS IDENTIFICATION

#### OSHA/HCS Status:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture:** SKIN SENSITIZATION – Category 1

#### GHS Label Elements

#### Hazard pictogram:



**Signal Word:** Warning

**Hazard Statement:** H317 – May cause an allergic skin reaction.

## Precautionary Statements

<b>Prevention:</b>	P280 – Wear protective gloves. P261 – Avoid breathing fumes. P272 – (OSHA) – Contaminated work clothing should not be allowed out of the workplace.
<b>Response:</b>	P302 + P352 + P363 – IF ON SKIN: Wash with plenty of soap and water. Take off and wash contaminated clothing before reuse. P333 + P313 – If skin irritation or rash occurs: Get medical attention.
<b>Storage:</b>	Not applicable.
<b>Disposal:</b>	P501 – Dispose of contents and container in accordance with all local, regional and national regulations.
<b>Hazards not otherwise classified:</b>	None known.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms:** Petroleum Grease

**Formula:** Mixture

**Molecular Weight:** Variable

Component	CAS Number	Concentration %
Base Lubricating Oils Mixture		90-100
Lithium Soap Thickener	Trade Secret	1-5
Additive Package	Trade Secret	1-5
Molybdenum Disulfide	1317-33-5	1-3

---

## 4. FIRST AID MEASURES

### Eyes

Immediately flush eyes with large amounts of fresh water and continue flushing until irritation subsides. Seek medical attention.

### Inhalation

If breathing difficulty exists, remove individual away from exposure and into fresh air. Seek medical attention.

### Skin

Remove contaminated clothing. Wash contaminated area repeatedly with soap and water. Do not reuse clothing until thoroughly cleaned and laundered. Seek medical attention for persistent irritation.

## **Ingestion**

Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

---

## **5. FIREFIGHTING MEASURES**

### **Suitable extinguishing media**

Use dry chemical, foam, carbon dioxide (CO<sub>2</sub>) or water spray or water fog.

### **Specific hazards from combustion**

Carbon monoxide, carbon dioxide and other oxides may be generated as products of combustion.

### **Special protective equipment for fire-fighters**

Wear full firefighting turn-out gear (full bunker gear), and respiratory protection (SCBA). Cool fire exposed containers with water spray and avoid spreading burning material with water used for cooling purposes.

---

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions and Protective equipment**

Personal Protection, see section 8. Any individual not wearing protective equipment should not enter spill or contaminated area until all clean-up has been completed.

### **Emergency procedures**

For personal emergency procedures see section 4. For fire emergency procedures see section 5. Contain spilled oil liquid if possible without posing any risk or personal injury.

### **Environmental precautions**

Prevent spreading over a wide area. Contain spill immediately. Contact appropriate authorities of spill. Do not allow spill to enter sewer system, drains of any kind, surface water or water courses. Avoid flushing to such areas as well.

### **Methods and materials for containment and cleaning up**

Soak up or absorb with appropriate inert materials such as, sand, clay, silica gel, acid binder, universal binder, sawdust, paper fiber etc. Large spills may be picked up using vacuum pumps, shovels, buckets or other means of transfer and place into drums or any other approved and suitable containers.

---

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

### Conditions for safe storage

Store in only approved and marked containers. Keep containers closed when not in use and during transportation. Keep containers away from flame or other ignition sources.

### Incompatibilities

May react strong with oxidizing agents, such as hydrogen peroxide, bromine, and chromic acid.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limits

Ingredient name	Exposure limits
Antimony dialkyldithiocarbamate Registry number: NJTSR 800983-5015P	<b>ACGIH TLV (United States, 3/2015).</b> TWA: 0.5 mg/m <sup>3</sup> , (as Sb) 8 hours. <b>OSHA PEL (United States, 2/2013).</b> TWA: 0.5 mg/m <sup>3</sup> , (as Sb) 8 hours. <b>NIOSH REL (United States, 10/2013).</b> TWA: 0.5 mg/m <sup>3</sup> , (as Sb) 10 hours. <b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 0.5 mg/m <sup>3</sup> , (as Sb) 8 hours.

### American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV)

5.00 mg/m<sup>3</sup> suggested for oil mist.

### Respiratory protection

If vapor mist is generated when the material is heated or handled, use approved respiratory protection. All respirators must be NIOSH certified. Fit testing may be required before use. Do not use compressed oxygen in hydrocarbon atmospheres. Adequate ventilation in accordance with good engineering practices must be provided to maintain concentrations below the specified exposure or flammable limits.

## Hand protection

Hand protection is required. Wear chemical resistant gloves suitable for the product, contact your safety department or supplier to determine the proper hand protection. If handling hot material, use proper insulated gloves.

## Eye protection

If material is handled such that it could be splashed or misted into eyes, wear plastic face shield or splash resistant safety goggles or glasses with side shields.

## Skin and body protection

Use impervious clothing (boots, gloves, aprons, bibs, etc.) over parts of the body subject to exposure. If handling hot material, use insulated protective clothing. Contact your facility safety department or safety supplier to determine the proper protective equipment for your use.

## Hygiene measures

Do not use contaminated clothing, launder clothing before reuse. Properly dispose of contaminated clothing or articles that cannot be laundered such as leather gloves, boots, etc. Wash contaminated areas of the body which may have been exposed with soap and water. Wash thoroughly before handling food and beverages. Food and beverage consumption should be avoided in work areas where hydrocarbons are present.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Black, tacky

**Physical state:** Solid

**Odor:** Mineral oil

**Specific gravity (H<sub>2</sub>O=1):** 0.9300

**Melting point/freezing point:** No data available

**Initial boiling point and boiling range:** No data available

**Flash point (C.O.C):** 220°C, (430°F)

**Upper/lower flammability or explosive limits:** No data available

**Vapor pressure:** No data available

**Solubility in water:** Negligible @25°C

**Percent volatile:** No data available

**Vapor density (air=1):** No data available

**Evaporation rate:** No data available

---

## 10. STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical stability:** Stable under normal temperatures and pressures.

**Possibility of hazardous reactions:** Product will not undergo hazardous polymerization.

**Conditions to avoid:** Heat, open flames, oxidizing materials and mist.

**Incompatible materials:** Strong oxidizing agents.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide and other oxides may be generated as products of combustion.

---

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:**

Product/ingredient name	Result	Species	Dose	Exposure
Antimony dialkyldithiocarbamate	LD50 Dermal LD50 Oral	Rabbit Rat	16000 mg/kg 16400 mg/kg	- -

**Acute inhalation toxicity:** No data available

**Irritation/Corrosion:** There is no data available.

**Sensitization:** May cause allergic skin reaction.

**Carcinogenicity Classification:** There is no data available.

**Specific target organ toxicity (single exposure):** There is no data available.

**Specific target organ toxicity (repeated exposure):** There is no data available.

**Aspiration hazard:** There is no data available.

**Symptoms related to the physical, chemical and toxicological characteristics:**

**Eye Contact:** No known significant effects or critical hazards.

**Inhalation:** No known significant effects or critical hazards.

**Skin Contact:** Adverse symptoms may include the following:  
Irritation  
Redness

**Ingestion:** No known significant effects or critical hazards.

**Delayed and immediate effects and also chronic effects from short and long term exposure:**

**Short term exposure:**

**Potential immediate effects:** No known significant effects or critical hazards.

**Potential delayed effects:** No known significant effects or critical hazards.

**Long term exposure:**

**Potential immediate effects:** No known significant effects or critical hazards.

**Potential delayed effects:** No known significant effects or critical hazards.

**Potential chronic health effects:**

**General:** Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

**Carcinogenicity:** No known significant effects or critical hazards.

**Mutagenicity:** No known significant effects or critical hazards.

**Teratogenicity:** No known significant effects or critical hazards.

**Developmental effects:** No known significant effects or critical hazards.

**Fertility effects:** No known significant effects or critical hazards.

---

## **12. ECOLOGICAL INFORMATION**

**Biodegradability:** No data available

**Bioaccumulation:** No data available

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Toxicity to bacteria:** No data available

**Mobility in soil:** Spills are unlikely to penetrate the soil under normal conditions.

---

## **13. DISPOSAL CONSIDERATIONS**

### **Waste Disposal methods**

All disposals must comply with federal, state and local regulations. Spilled or discarded material may be a regulated waste. Refer to state and local regulations. If other material was used during cleanup efforts the resultant mixture may be regulated.





**Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Alkylmercaptothiadiazole	0.1 - 1	No.	No.	No.	Yes.	No.

**SARA 313**

	Product name	CAS number	%
<b>Form R - Reporting requirements</b>	Antimony dialkyldithiocarbamate Registry number: NJTSR 800983-5015P	-	Proprietary
<b>Supplier notification</b>	Antimony dialkyldithiocarbamate Registry number: NJTSR 800983-5015P	-	Proprietary

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations**

**Massachusetts:** The following components are listed: Molybdenum disulphide

**New York:** None of the components are listed.

**New Jersey:** The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated heavy naphthenic; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Antimony dialkyldithiocarbamate

**Pennsylvania:** The following components are listed: Antimony dialkyldithiocarbamate

**California Prop. 65**

No products were found.

**NFPA Hazard Classification**

Health: 0  
Flammability: 1  
Reactivity: 0

**HMIS Classification**

Health: 0  
Flammability: 1  
Physical Hazards: 0  
Personal Protection: B



<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>B</b>

---

## **16. OTHER INFORMATION**

The information accumulated herein is believed to be accurate. However, neither Universal Lubricants, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information provided herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.

Rev. Date: 1/19/2017